



Contribution ID: 44

Type: Invited Oral

Tuning the Electronic Structure of NiO by Li doping for Electrocatalytic Water Oxidation

Thursday, 16 August 2018 11:15 (30 minutes)

Earth-abundant transition metal (TM) oxides are excellent materials as electrocatalysts for oxygen evolution reaction (OER). It has been proposed that similar to the d-band theory in metal catalysts, the intrinsic OER activity of TM oxides is strongly linked with their electronic structures, i.e., transition metal cations with an occupation of $e_g=1$ showing a high OER activity. This provides guideline for rational design of electrocatalysts.¹ We have synthesized Li doped NiO ($\text{Li}_x\text{Ni}_{1-x}\text{O}$, $x=0, 0.09, 0.17, 0.33$ and 0.5) powders and found the materials show increasing catalytic activity for OER as x increases, with comparable OER activity to that of precious IrO_2 when $x=0.5$. The dependence of structure and electronic properties on composition were systematically investigated using high-resolution X-ray photoemission spectroscopy (XPS) and X-ray absorption (XAS) at synchrotron, and density functional theory (DFT) calculations. NiO is a wide bandgap ($E_g=3.6$ eV) semiconductor with a nominal charge state of Ni^{2+} (e_g^2), while Ni in the other end member $\text{Li}_{0.5}\text{Ni}_{0.5}\text{O}$ has a nominal charge state of Ni^{3+} (e_g^1). O-K edge XAS indicates development of unoccupied states at 0.5 eV above the top of valence band (VB) with increasing Li doping. These experimental results supplemented with DFT calculations established a direct correlation between the enhancement of catalytic activity with the change of electronic structure.

[1] J. Suntivich, K. J. May, H. A. Gasteiger, J. B. Goodenough and Y. Shao-Horn, Science 334 (6061), 1383-1385 (2011).

Primary authors: Mr FU, Gaoliang; Prof. ZHANG, Kelvin H.L. (Xiamen University)

Presenter: Prof. ZHANG, Kelvin H.L. (Xiamen University)

Session Classification: Speaker Sessions and Seminars

Track Classification: Applied Surface Science