



USER MEETING 2016

24-25 NOVEMBER

National Centre for Synchrotron Science



Ansto



Contribution ID: 171

Type: Oral

First experiments with D-DIA apparatus on XAS

Friday, 25 November 2016 14:00 (15 minutes)

The Macquarie University-Australian Synchrotron D-DIA apparatus is a large-volume solid-media apparatus for high pressure, high temperature in-situ x-ray experiments. The apparatus can subject a sample volume of up to 5 mm³ to pressures to 6 GPa and temperatures to 1500 °C.

During 2016/2 initial experiments were conducted on the XAS beamline. Uranium and Thorium L3-edge transmission XANES spectra were successfully collected from silicate liquid at ~2 GPa, 1350 °C. Further tests with the sample assembly under ambient conditions indicate the lowest energy edge accessible in the apparatus with the present sample assembly is Ge K (11.1 keV).

XAS was run in mirrorless mode at 38 keV for a proof-of-concept falling-sphere viscometry experiment. Soda-lime glass was rapidly melted by heating from ~800 °C to ~1400 °C at ~2 GPa, and a falling platinum sphere was imaged with a CCD via YAG-mirror-lens setup.

Prospects for future applications of the D-DIA apparatus at the Australian Synchrotron will be discussed.

Are you a student?

No

Do you wish to take part in the Student Poster Slam?

No

Are you an ECR? (<5 yrs since PhD/Masters)

Yes

What is your gender?

Male

Primary author: Dr WYKES, Jeremy (Macquarie University)

Co-authors: Mr CLINE, Christopher (Australian National University); Dr MALLMANN, Guil (Australian National University); Dr CLARK, Simon (Macquarie University); Dr TURNER, Simon (Macquarie University); Dr RUSHMER, Tracy (Macquarie University)

Presenter: Dr WYKES, Jeremy (Macquarie University)

Session Classification: Concurrent Session 4: Technique Development

Track Classification: Technique Development